

Usage of script „javai_nee”

Version: 2014.11.20 07:33

Author: Kārlis Kalviškis

License: CC-BY-SA

Table of content

In brief.....	1
CLI (As terminal command).....	1
Thunar custom actions.....	1

In brief

A great number of web pages contains java scripts. Some of them are useful, some – useless, some – harmful. Most of them are unnecessary when a web page is saved to the disk. The script “javai_nee” helps to purify the saved html documents from all scripts.

The following text gives some examples of the usage of “javai_nee”.

CLI (As terminal command)

The script has a command line interface (CLI). Running in terminal without any parameters the script “javai_nee” will try to purify html documents within working directory. But first of all the permission will be asked.


Several parameters may be defined:

`javai_nee [Options] [File1] [File2] [...]`


Options:

- D Delete connected script files;
- J No questions;
- m Only the count of processed files is displayed;
- R The directories will be processed recursively;
- pap=ARG1[,ARG2[,...]] Different file extensions.


Thunar custom actions




File manager “Thunar” provides different directory/file related actions (context menu).



Users can expand context menu with different custom actions.




With the help of **[+]** button a new action may be added.



“Name” will be as an entry in the context menu. A “Remove scripts” will be a good choice.

“Description” will be seen in the “Thunar's” status bar. A “Purify HTML files from Java scripts” will be a good choice.

“Command” is the place for the command with all necessary parameters, including directory/file names. Examine the explanation of %f, %F, %d, %D, %n and %N. To invoke “javai_nee” the full command with parameters should be: “javai_nee -D -m %N” (without quotes).





An appropriate icon can be chosen.

The rules of the context may be defined in appearance conditions tab.





Te rules may be very general, like “text files” or “directories”. You may add file masking rules using wild-card symbol “*”.

To show only HTML documents, a mask “*.htm*;*.asp;*.php” (without quotas) will do.





A newly created entry should be in the list.







CSS is a text file, but the newly created custom action is not available due to the created mask.



Before:



After:



The elimination of scripts is not the only advantage. Quick comparison reveals that the disk space has been gained.